

Date: Monday, 4/10/2006 11:14:35 AM
 User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: BLOWER MOTOR ADAPTER
Job Number	: 26617		
Estimate Number	: 12177		
P.O. Number	: N/A	Part Number	: D3476041
This Issue	: 4/10/2006	S.O. No.	: N/A
Prsht Rev.	: NC	Drawing Number	: D3476 REV A
First Issue	: N/A	Project Number	: N/A
Previous Run	: 26177	Drawing Revision	: A
	Type : SMALL /MED FAB	Material	: N/A
Written By	: <u>SARAJA COMMENT BELOW</u>	Due Date	: 4/28/2006
Checked & Approved By	: <u>AD 06.04.10</u>	Qty:	1 Um: Each
Comment	: Est Rev: A New Issue 06-02-03 JLM		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	D3476043	blower motor adapter weldment
-----	----------	-------------------------------



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
1	D3476-043	ADAPTER WELDMENT	<u>B26615</u>

Blower 25 (5)

2.0	D34765	spacer ring
-----	--------	-------------



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
1	D3476-5	Ring	<u>B26612</u>

Blower 25 (5)

3.0	AN34A	Bolt
-----	-------	------



Comment: Qty.: 4.0000 Each(s)/Unit Total: 4.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
4	AN3-4A	Bolt	<u>M18310</u>

Blower 25 (5)

4.0	AN96010	Washer
-----	---------	--------



Comment: Qty.: 4.0000 Each(s)/Unit Total: 4.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
4	AN960-10	Washer	<u>M15519</u>

Blower 25 (5)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: SD Date: 06/04/28
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 4/10/2006 11:14:35 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BLOWER MOTOR ADAPTER

Job Number: 26617

Part Number: D3476041

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

5.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
-----	-------------	-------------------------------



Comment: SMALL & MEDIUM FAB RESOURCE 1

1-Assemble as per Dwg D3476

AD 06/04/25 (5)

6.0	QC5	INSPECT WORK TO CURRENT STEP
-----	-----	------------------------------



Comment: INSPECT WORK TO CURRENT STEP

SB 06/04/26 (5)

7.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

AD 06/04/26 (5)

8.0	DC	DOCUMENT CONTROL
-----	----	------------------



Comment: DOCUMENT CONTROL

Inspection Level 21

SP 06/04/28 (5)

Job Completion



u 06-04-28

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3476	REV. A SHEET 1 OF 7
DATE 06.01.27		TITLE BLOWER MOTOR ADAPTER	SCALE 1:2
A	06.01.27	NEW ISSUE	

[Signature] 06.04.03



D3476-041 BLOWER MOTOR ADAPTER

1) IDENTIFY WITH DART P/N D3476-041 USING FINE POINT PERMANENT INK MARKER

QTY -041	P/N	DESCRIPTION
X	D3476-041	BLOWER MOTOR ADAPTER
1	D3476-043	BLOWER MOTOR ADAPTER WELDMENT
1	D3476-5	SPACER-RING
4	AN3-4A	BOLT
4	AN960-10	WASHER

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 26617



COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3476	REV. A SHEET 2 OF 7
DATE 06.01.27		TITLE BLOWER MOTOR ADAPTER	SCALE 1:4

LOCATE AND
SPOT WELD
NUT PLATES
(4 PLACES)

**SECTION A-A**


D3476-1
DUCT (1)



D3476-3
DOME (1)

D3476-7 TUBE
(2 PLACES)

NAS-1031C3W
NUT PLATES
(4 PLACES)



OFFSET SEAM
ON DUCT

[Signature] 06-04-03

D3476-043 BLOWER MOTOR ADAPTER WELDMENT

NOTES:

- 1) SPOT WELD PER DART QSI 004
- 2) FINISH: NONE
- 3) PART IS SYMETRICAL ABOUT CENTERLINE
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010

QTY -043	P/N	DESCRIPTION
X	D3476-043	BLOWER MOTOR ADAPTER WELDMENT
1	D3476-1	DUCT
1	D3476-3	DOME
2	D3476-7	TUBE
4	NAS1031C3W	NUTPLATE

SHOP COPY
RETURN TO

ENGINEERING

SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDER

NO. 26617




COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3476	REV. A SHEET 3 OF 7
DATE 06.01.27		TITLE BLOWER MOTOR ADAPTER	SCALE 1:4

06.01.03

**D3476-1 DUCT****D3476-1F DUCT FLAT PATTERN****NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 2B FINISH
26 GAUGE SS (0.018 THICK)
(REF. DART SPEC. M304S26GA)
- 2) SPOT WELD PER DART QSI 004
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
CONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **26617**



COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3476	REV. A SHEET 4 OF 7
DATE 06.01.27		TITLE BLOWER MOTOR ADAPTER	SCALE 1:2

RELEASED

06.04.03 *[Signature]***SECTION C-C****D3476-3S DOME, SPINNING DETAIL****NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET, 0.036 THICK PER MIL-S-5019 (ANNEALED) 2B FINISH (REF. DART SPEC. M304S20GA)
- 2) FORM BY SPINNING TO DIMENSION WITHOUT EXCESS THINNING OF MATERIAL (MINIMUM THICKNESS = 0.025").
- 3) FINISH: NONE
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 26617

COPYRIGHT © 2006 BY DART AEROSPACE LTD.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3476	REV. A SHEET 5 OF 7
DATE 06.01.27		TITLE BLOWER MOTOR ADAPTER	SCALE 1:2

06.04.03

CUT $\varnothing 2.25$ HOLE,
ENLARGE TO $\varnothing 2.68$
BY FORMING FLANGE
(2 PLACES)

**D3476-3 DOME****NOTES:**

- 1) MATERIAL: MAKE FROM D3476-3S
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT CENTERLINE
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. *26617*

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>B</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>A</i>	APPROVED <i>B</i>	DRAWING NO. D3476	REV. A SHEET 6 OF 7
DATE 06.01.27		TITLE BLOWER MOTOR ADAPTER	SCALE 1:2

**D3476-5 SPACER-RING****D3476-5F SPACER-RING
FLAT PATTERN****NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET, 0.063 THICK, PER MIL-S-5019 (ANNEALED) 2B FINISH (REF. DART SPEC. M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 26617





COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN #	DRAWN BY #	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3476	REV. A SHEET 7 OF 7
DATE 06.01.27		TITLE BLOWER MOTOR ADAPTER	SCALE 1:2

06.04.03

DETAIL E
SCALE 1:1**D3476-7 TUBE****D3476-7 TUBE**
FLAT PATTERN**NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 2B FINISH
26 GAUGE SS (0.018 THICK)
(REF. DART SPEC. M304S26GA)
- 2) SPOT WELD PER DART QSI 004
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 26617

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.